



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

MATERIAL SAFETY DATA SHEET POLISHES & PRE-WAX CLEANSERS

GENERAL

Date	12/11/10
Revision Number	2
Date of First Issue	14/09/07
Manufacturer	Dodo Juice Ltd
Address	10 Golds Business Park, Elsenham, Bishops Stortford, CM22 6JX, UK
Emergency Telephone Number	+44 (0)7990 518430, +44(0)1279 813222
Information Telephone Number	+44 (0)7990 518430

1. IDENTITY

Commercial Name	Dodo Juice
Product Description	Polish and pre-wax cleanser emulsions for vehicles.
Identity (Label/List)	Lime Prime, Lime Prime Lite, Need for Speed.

2. COMPOSITION

General	Proprietary blend (emulsion).
---------	-------------------------------

HAZARDOUS INGREDIENTS

Component	Alkanes, C11-15-ISO	Petroleum distillates, hydrotreated light
%	4-10	10-20
EINECS No.	292-460-6	265-149-8
CAS No.	90622-58-5	64742-47-8
Symbol / Risk Phrase	Xn: R65, R66	Xn: R65, R66

3. HAZARDS

Health	Harmful: may cause lung damage if swallowed. Repeated exposure to petroleum distillates may cause skin dryness/cracking.
Physical / Chemical	None.
Fire / Explosion	None.

Dodo Juice Ltd is registered in England.
Registered address: 275 Desborough Ave, High Wycombe, Bucks HP11 2TL.
Company number: 06183699. VAT number: UK 912 9601 32.



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

4. FIRST AID MEASURES

Inhalation	Not applicable.
Skin Contact	Wash with plenty of soap and water after use.
Eye Contact	Rinse with plenty of water, until irritation subsides. If irritation persists, seek medical advice.
Ingestion	Do not induce vomiting. Get medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing Media	Any.
Media NOT to be Used	Not applicable.
Special Precautions	Beware slippery conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	See Section 8.
Small Spills	Floor may become slippery. Absorb with inert material such as sand or vermiculite.
Large Spills	Dyke material to prevent spreading of material into water courses. Absorb with inert material such as sand or vermiculite. Collect the spill in a suitable container. Beware slippery conditions.
Cleaning Up	Use an industrial cleaner and plenty of water. Beware slippery conditions.

7. HANDLING AND STORAGE

Handling and Storage Precautions	Keep container tightly closed. Avoid extremes of temperature. Beware of frost. Keep away from strong oxidising agents.
---	--

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Respiratory	Use outdoors or in an adequately ventilated area.
Skin	Avoid contact with sensitive skin. Wash with plenty of soap and water after use.
Eye	Not applicable in normal use.



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Creamy coloured liquid (lime/orange)
Odour	Scented (mild).
Boiling Point / Range	100°C
Flash Point	Not applicable.
Flammability	None.
Autoflammability	Not applicable.
Explosive Properties	Not applicable.
Water solubility	Miscible in all proportions.

10. STABILITY AND REACTIVITY

Stability	Stable.
Conditions to Avoid	None.
Materials to Avoid	Strong oxidants / oxidising agents.
Hazardous Decomposition Products	None.
Explosion Hazards	None.
Fire Hazards	None.

11. TOXICOLOGICAL DATA

Skin Contact	Frequent or prolonged contact to petroleum distillates may cause irritation and dermatitis. Low order of toxicity.
Eye Contact	Irritating but does not injure eye tissue.
Ingestion	Minimal toxicity.

12. ECOLOGICAL INFORMATION

Biodegradation	Inherently biodegradable. Expected to degrade rapidly in air.
Aquatic Toxicity	No harm to aquatic organisms anticipated.

13. DISPOSAL CONDITIONS

Method	Use certified chemical waste disposal.
---------------	--

14. TRANSPORT INFORMATION

Regulated / Non-regulated	Not regulated.
----------------------------------	----------------

15. REGULATORY INFORMATION

Relevant Regulations	None.
-----------------------------	-------



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

16. OTHER INFORMATION

Risk phrases used in section 2:

R65: Harmful, may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

Coloured products may mildly discolour cloths and applicator pads used to apply or remove the product. Polish residues may be more difficult to remove if applied to hot surfaces or if left to over-cure. Remove stubborn residue from surface of vehicle with a water spray.

DISCLAIMER: The data herein is given in good faith and based on the best of our knowledge at the date of issue of this document. Each user is responsible for determining the suitability of the material in their particular application and that such usage complies with applicable legislative rules and regulations. However, no representation, warranty of guarantee is made as to its accuracy, reliability or completeness.