



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## MATERIAL SAFETY DATA SHEET SUPERNATURAL GLASS POLISH

### GENERAL

Date	12/11/10
Revision Number	0
Date of First Issue	12/11/10
Manufacturer	Dodo Juice Ltd
Address	10 Golds Business Park, Elsenham, Bishops Stortford, CM22 6JX, UK
Emergency Telephone Number	+44 (0)7990 518430, +44(0)1279 813222
Information Telephone Number	+44 (0)7990 518430

### 1. IDENTITY

Commercial Name	Supernatural
Product Description	Glass Polish
Identity (Label/List)	Supernatural Glass Polish

### 2. COMPOSITION

General	Proprietary blend (emulsion).
---------	-------------------------------

### HAZARDOUS INGREDIENTS

Component	Alkanes, C11-15-ISO
%	10-15
EINECS No.	292-460-6
CAS No.	90622-58-5
Symbol / Risk Phrase	[Xn] R65; [-] R66

### 3. HAZARDS

Health	Harmful: may cause lung damage if swallowed. Repeated exposure to petroleum distillates may cause skin dryness/cracking.
Physical / Chemical	None.
Fire / Explosion	None.

Dodo Juice Ltd is registered in England.  
Registered address: 275 Desborough Ave, High Wycombe, Bucks HP11 2TL.  
Company number: 06183699. VAT number: UK 912 9601 32.



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

#### 4. FIRST AID MEASURES

<b>Inhalation</b>	Not applicable.
<b>Skin Contact</b>	Wash with plenty of soap and water after use.
<b>Eye Contact</b>	Rinse with plenty of water, until irritation subsides. If irritation persists, seek medical advice.
<b>Ingestion</b>	Do not induce vomiting. Get medical attention.

#### 5. FIRE FIGHTING MEASURES

<b>Extinguishing Media</b>	Any.
<b>Media NOT to be Used</b>	Not applicable.
<b>Special Precautions</b>	Beware slippery conditions.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	See Section 8.
<b>Small Spills</b>	Floor may become slippery. Absorb with inert material such as sand or vermiculite.
<b>Large Spills</b>	Dyke material to prevent spreading of material into water courses. Absorb with inert material such as sand or vermiculite. Collect the spill in a suitable container. Beware slippery conditions.
<b>Cleaning Up</b>	Use an industrial cleaner and plenty of water. Beware slippery conditions.

#### 7. HANDLING AND STORAGE

<b>Handling and Storage Precautions</b>	Keep container tightly closed. Avoid extremes of temperature. Beware of frost. Keep away from strong oxidising agents.
---	--

#### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

<b>Respiratory</b>	Use outdoors or in an adequately ventilated area.
<b>Skin</b>	Avoid contact with sensitive skin. Wash with plenty of soap and water after use.
<b>Eye</b>	Not applicable in normal use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	White liquid.
<b>Odour</b>	Mild.
<b>Boiling Point / Range</b>	100°C
<b>Flash Point</b>	Not applicable.
<b>Flammability</b>	None.
<b>Autoflammability</b>	Not applicable.
<b>Explosive Properties</b>	Not applicable.
<b>Water solubility</b>	Miscible in all proportions.

Dodo Juice Ltd is registered in England.  
Registered address: 275 Desborough Ave, High Wycombe, Bucks HP11 2TL.  
Company number: 06183699. VAT number: UK 912 9601 32.



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## 10. STABILITY AND REACTIVITY

Stability	Stable.
Conditions to Avoid	None.
Materials to Avoid	Strong oxidants / oxidising agents.
Hazardous Decomposition Products	None.
Explosion Hazards	None.
Fire Hazards	None.

## 11. TOXICOLOGICAL DATA

Skin Contact	Frequent or prolonged contact to petroleum distillates may cause irritation and dermatitis. Low order of toxicity.
Eye Contact	Irritating but does not injure eye tissue.
Ingestion	Minimal toxicity.

## 12. ECOLOGICAL INFORMATION

Biodegradation	Inherently biodegradable. Expected to degrade rapidly in air.
Aquatic Toxicity	No harm to aquatic organisms anticipated.

## 13. DISPOSAL CONDITIONS

Method	Use certified chemical waste disposal.
--------	--

## 14. TRANSPORT INFORMATION

Regulated / Non-regulated	Not regulated.
---------------------------	----------------

## 15. REGULATORY INFORMATION

Relevant Regulations	None.
----------------------	-------

## 16. OTHER INFORMATION

Risk phrases used in section 2: R65: Harmful, may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.
--

**DISCLAIMER:** The data herein is given in good faith and based on the best of our knowledge at the date of issue of this document. Each user is responsible for determining the suitability of the material in their particular application and that such usage complies with applicable legislative rules and regulations. However, no representation, warranty of guarantee is made as to its accuracy, reliability or completeness.