



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## MATERIAL SAFETY DATA SHEET METAL POLISH

### GENERAL

Date	14/08/09
Revision Number	0
Date of First Issue	14/08/09
Manufacturer	Dodo Juice Ltd / Mitrechem Ltd
Address	275 Desborough Ave, High Wycombe, Bucks HP11 2TL
Emergency Telephone Number	+44 (0)7990 518430, +44(0)1279 813222
Information Telephone Number	+44 (0)7990 518430

### 1. IDENTITY

Commercial Name	Dodo Juice
Product Description	Fine cut metal polish.
Identity (Label/List)	Supernatural Fine Cut Metal Polish

### 2. COMPOSITION

General	Proprietary blend.
---------	--------------------

### HAZARDOUS INGREDIENTS (1)

Component	Petroleum distillates.
%	35% mineral oil, 15% mineral solvent
EINECS No.	n/a
CAS No.	8052-41-3, 64741-89-5
Symbol / Risk Phrase	F: R10; Xn:R65
Classification/Symbol	Highly flammable/F Harmful/Xn



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

### 3. HAZARDS

<b>Health</b>	Irritating to skin. Harmful - may cause lung damage or be fatal if swallowed. Vapours may cause drowsiness & dizziness.
<b>Environmental</b>	Non-biodegradable; do not release into water course.
<b>Physical &amp; Chemical/Fire &amp; Explosion</b>	Extreme hazard. Vapour or liquid can readily form flammable mixtures at temperature at or above the flash point.

### 4. FIRST AID MEASURES

<b>Inhalation</b>	Using approved respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Call for prompt medical attention.
<b>Skin Contact</b>	Wash with plenty of soap and water after use. Remove grossly contaminated clothing & launder before re-use.
<b>Eye Contact</b>	Rinse with plenty of water, until irritation subsides. If irritation persists, seek medical advice.
<b>Ingestion</b>	Do not induce vomiting. Keep at rest. Get medical attention.

### 5. FIRE FIGHTING MEASURES

<b>Fire Fighting Procedures</b>	Use water spray to cool surfaces exposed to fire & to protect personnel. If possible shut off the source of fuel to the fire. Self contained breathing apparatus should be worn.
<b>Fire Fighting Media</b>	Use fire blanket, dry chemical or carbon dioxide (CO <sub>2</sub> ) media to extinguish fire. For surrounding fires, use whatever extinguishing media is appropriate.
<b>Special Precautions</b>	Containers may explode if exposed to fire. See section 4 'First Aid Measures', and Section 10 'Stability & Reactivity'.
<b>Hazardous Combustion Products</b>	Fumes, smoke, carbon dioxide (CO <sub>2</sub> ), and carbon monoxide (CO).



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Wear gloves, goggles and overalls.
<b>Land Spills</b>	<p>Eliminate sources of ignition. Warn occupants in downwind areas of fire and explosion hazard. Prevent liquid from entering sewers, water courses or low areas.</p> <p>Keep public away. Shut off source, if possible to do so without hazard. Advise police if substance has entered a watercourse or sewer or has contaminated soil or vegetation. Take measures to minimize the effect on ground water.</p> <p>If spill occurs inside a building, ventilate area and mop or clean up spill with clean cloths or use sand or earth to absorb the spill. Use a cloth to remove remaining residue, before disposal (when dry), or if sand or earth used, scrape up residue with shovels or pails and place in suitable containers for disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.</p> <p>See Section 4 'First Aid Measures', and Section 10 'Stability &amp; Reactivity'.</p>
<b>Water Spills</b>	<p>Eliminate sources of ignition. Warn occupants and shipping in downwind areas of fire and explosion hazard and request them to stay clear.</p> <p>Notify port or relevant authority and keep public away. Shut off source, if possible to do so without hazard. Confine if possible.</p> <p>Remove from surface by skimming or with suitable absorbents. If allowed by local authorities and environmental agencies sinking and/or suitable dispersants may be used in non-confined waters.</p> <p>Consult an expert on disposal of any recovered material and ensure conformity to local disposal regulations.</p> <p>See Section 4 "First Aid Measures", and Section 10 "Stability and Reactivity".</p>

## 7. HANDLING AND STORAGE

<b>Handling and Storage Precautions</b>	<p>Keep container tightly closed. Avoid extremes of temperature and store in a cool, well ventilated place away from incompatible materials.</p> <p>Do NOT handle or store near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight.</p> <p>Do NOT pressurise, cut, heat or weld containers. Empty product containers may contain product residue. Container can remain hazardous when empty. Continue to observe all precautions.</p>
---	---

Dodo Juice Ltd is registered in England.

Registered address: 275 Desborough Ave, High Wycombe, Bucks HP11 2TL.

Company number: 06183699. VAT number: UK 912 9601 32.



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

<b>Engineering Control Measures/Ventilation</b>	Use outdoors or in an adequately ventilated area. The use of local exhaust ventilation is recommended near the source. Use explosion proof ventilation equipment.
<b>Occupational Exposure Limits</b>	Mineral oil (CAS 64741-89-5) 5mg/m <sup>3</sup> TWA Mineral solvent (CAS 8052-41-3) 100ppm 8hr TWA
<b>Personal Protection</b>	<p><b>General advice</b> - the use and choice of personal protection equipment is related to the hazard of the product, the workplace and the way the product is handled. In general, we recommend as a minimum safety precaution, safety glasses and clothes protecting arms legs and body be used.</p> <p><b>Respiratory protection</b> - the industrial user or handler, if using in air and exceeding concentration limits, it is recommended a half-face filter mask to protect against over exposure by inhalation. Suitable filter material depends on the amount and type of chemicals being handled in the workplace, but filter material of type 'A' or similar may be considered for use.</p> <p><b>Hand protection</b> - when handling this product, it is recommended to wear chemical resistant gloves such as nitrile rubber, or barrier cream.</p> <p><b>Eye protection</b> - approved safety goggles.</p> <p><b>Skin/body protection</b> - appropriate clothing to prevent skin contact.</p>
<b>Environmental Exposure Controls</b>	See Section 12.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

	GENERAL INFORMATION
<b>Appearance</b>	Pink coloured liquid
<b>Odour</b>	Scented (mild) paraffinic
<b>Freezing/Melting Point</b>	-25°C
<b>Boiling Point / Range</b>	223-251°C
	HEALTH, SAFETY & ENVIRONMENTAL INFORMATION
<b>Flash Point</b>	70°C
<b>Auto ignition temp.</b>	n/a
<b>Explosive Limits in Air</b>	n/a



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Normally stable.
<b>Conditions to Avoid</b>	Heat, sparks, open flames and other sources of ignition.
<b>Materials to Avoid</b>	Acids, other chemicals and strong oxidants / oxidising agents.
<b>Hazardous Decomposition Products</b>	Toxic gases, vapours, fumes of carbon monoxide (CO) and carbon dioxide (CO <sub>2</sub> ).

## 11. TOXICOLOGICAL DATA

<b>Inhalation</b>	Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches, drowsiness and dizziness, are anaesthetic and may have other central nervous system effects.
<b>Skin Contact</b>	Frequent or prolonged contact to petroleum distillates may cause irritation and dermatitis.
<b>Eye Contact</b>	Irritating, sometimes severe.
<b>Ingestion</b>	Small amounts of liquid aspirated into respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary edema.

## 12. ECOLOGICAL INFORMATION

This product is classified as a volatile organic compound, according to the Directive 99/13/EC.

<b>Ecotoxicity</b>	Expected to be toxic to aquatic organisms. May cause long term adverse effects in the aquatic environment.
<b>Environmental Mobility</b>	Highly volatile and will partition rapidly to air.
<b>Environmental Degradability</b>	Expected to degrade rapidly in air. Not expected to be biodegradable in water.

## 13. DISPOSAL CONSIDERATIONS

<b>Method</b>	Use certified chemical waste disposal. This product is not suitable for disposal by land fill or via municipal sewers, drains, natural streams or rivers.
---------------	---



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

#### 14. TRANSPORT INFORMATION

<b>LAND(RAILWAY/ROAD, SUCH AS RID/ADR)</b>	
<b>Class:</b>	3 PG: III UN Number: 1223
<b>Classification code:</b>	n/a
<b>Transport document name:</b>	Petroleum distillates, combustible liquid UN 1223, 111
<b>Emergency Action Code:</b>	n/a
<b>INLAND WATERWAYS (SUCH AS AND/R)</b>	
<b>Class:</b>	3 UN Number: 1223
<b>Transport document name:</b>	Petroleum distillates, combustible liquid UN 1223, 111
<b>SEA (IMDG)</b>	
<b>Class:</b>	3 PG: III UN Number: 1223
<b>Marine pollutant:</b>	n/a
<b>Risk label:</b>	R10, R65
<b>Transport document name:</b>	Petroleum distillates, combustible liquid UN 1223, 111
<b>AIR (ICAO/IATA)</b>	
<b>Class:</b>	3 PG: III UN Number: 1223
<b>Proper shipping name:</b>	n/a



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## 15. REGULATORY INFORMATION

Classification and labelling according to EEC Directives.

This classification results from test data and/or assessment.

<b>Classification/Symbol</b>	FLAMMABLE/F HARMFUL/Xn DANGEROUS FOR THE ENVIRONMENT/N
<b>Governing Directive:</b>	DANGEROUS SUBSTANCES DIRECTIVE 67/548/EC, AS MODIFIED
<b>Label Name:</b>	TBA
<b>Nature of Special Risk:</b>	R10 flammable. R38 irritating to skin R51/53 toxic to aquatic organisms, may cause long term adverse affects in the aquatic environment R65 harmful: may cause lung damage if swallowed R67 vapours may cause drowsiness and dizziness
<b>Safety Advice:</b>	S02 keep out of reach of children S09 keep container in a well ventilated place S16 keep away from sources of ignition - no smoking S23 do not breathe gas/fumes/vapour/spray S24 avoid contact with skin S33 take precautionary measures against static charges S51 use only in well ventilated areas S57 use appropriate containment to avoid environmental contamination S60 this material and/or its container must be disposed of as hazardous waste S61 avoid release to the environment. Refer to special instructions/safety data sheet. S62 if swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

Dodo Juice Ltd is registered in England.

Registered address: 275 Desborough Ave, High Wycombe, Bucks HP11 2TL.

Company number: 06183699. VAT number: UK 912 9601 32.



THE DODO@DODOJUICE.COM  
WWW.DODOJUICE.COM

## 16. OTHER INFORMATION

N/a

### Library of Risk Phrases used in this document:

R11	Highly Flammable
R38	Irritating to skin
R50/ 53	Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
R51/ 53	Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R67	Vapours may cause drowsiness and dizziness.

**DISCLAIMER:** The data herein is given in good faith and based on the best of our knowledge at the date of issue of this document. Each user is responsible for determining the suitability of the material in their particular application and that such usage complies with applicable legislative rules and regulations. However, no representation, warranty of guarantee is made as to its accuracy, reliability or completeness.